





www.grip.de/G01/	G01	Compression platens
www.grip.de/G01/TH23/		
		www.grip.de/pdf/TH23_datasheet.pdf
   	TH23	Round compression platens Description item number: TH23-A-B-Material A: Diameter in mm - B: coupling/adapter Material: AL - Aluminium, St - Steel
	TH23-AL	Aluminium platens, anodized Female coupling Af 159: 15.9 mm (5/8") Price includes: 1 pair of compression platens
	TH23-56-Af159-AL	Ø 56 mm Compression platens, aluminium, with coupling 15.9, 1 pair
	TH23-96-Af159-AL	Ø 96 mm Compression platens, aluminium, with coupling 15.9, 1 pair
	TH23-116-Af159-AL	Ø 116 mm Compression platens, aluminium, with coupling 15.9, 1 pair
	TH23-156-Af159 -AL	Ø 156 mm Compression platens, aluminium, with coupling 15.9, 1 pair
	TH23-AL	Aluminium platens, anodized Coupling: B: Female [mm]: Ø 20, 19.1, 30, 31.8, 32, 36, 40 etc. B: Male [mm]: Ø 31.7 etc. Price includes: 1 pair of compression platens
	TH23-56-B-AL	Ø 56 mm Compression platens made of aluminium, 1 pair
	TH23-96-B-AL	Ø 96 mm Compression platens made of aluminium, 1 pair
	TH23-116-B-AL	Ø 116 mm Compression platens made of aluminium, 1 pair
	TH23-156-B-AL	Ø 156 mm Compression platens made of aluminium, 1 pair
	TH23-196-B-AL	Ø 196 mm Compression platens made of aluminium, 1 pair
	TH23-246-B-AL	Ø 246 mm Compression platens made of aluminium, 1 pair
	TH23-296-B-AL	Ø 296 mm Compression platens made of aluminium, 1 pair
	TH23-ST	Steel platens, hardened steel, 58 HRC, phosphated Female coupling: Ø 15.9 mm or Ø 31.8 mm Price includes: 1 pair of compression platens
	TH23-56-Af159-St	Ø 56 mm Compression platens, steel, with coupling 15.9, 1 pair
	TH23-96-Af159-St	Ø 96 mm Compression platens, steel, with coupling 15.9, 1 pair
	TH23-116-Af159-St	Ø 116 mm Compression platens, steel, with coupling 15.9, 1 pair
	TH23-156-Af159-St	Ø 156 mm Compression platens, steel, with coupling 15.9, 1 pair
	TH23-156-Af318-St	Ø 156 mm Compression platens, steel, with coupling 31.8, 1 pair
TH23-196-Af318-St	Ø 196 mm Compression platens, steel, with coupling 31.8, 1 pair	
TH23-ST	Steel platens, hardened steel, 58 HRC, phosphated Coupling: B: Female [mm]: Ø 20, 19.1, 30, 31.8, 32, 36, 40 B: Male [mm]: Ø 31.7 etc. Price includes: 1 pair of compression platens	
TH23-56-B-St	Ø 56 mm Compression platens, steel, 1 pair	
TH23-96-B-St	Ø 96 mm Compression platens, steel, 1 pair	
TH23-116-B-St	Ø 116 mm Compression platens, steel, 1 pair	

AML Instruments Ltd
 Compression Platens Data Sheet
 Contact us for friendly profesional advice Tel +44 (0) 1522 789375

TH23-156-B-St	Ø 156 mm Compression platens, steel, 1 pair
TH23-196-B-St	Ø 196 mm Compression platens, steel, 1 pair
TH23-246-B-St	Ø 246 mm Compression platens, steel, 1 pair
TH23-296-B-St	Ø 296 mm Compression platens, steel, 1 pair
TH23-344-B-St	Ø 344 mm Compression platens, steel, 1 pair

www.grip.de/G01/TH36/



www.grip.de/pdf/TH36_Datasheet



TH36	Rectangular compression platens
TH36-AL	Aluminium platens, anodised Including standard adapters e.g. Female [mm]: Ø 15.9 (5/8"), 20, 19.1, 30, 31.8 (10/8"), 32, 36, 40 Male [mm]: Ø 31.7 Price includes: 1 pair of compression platens
TH36-50-AL	50x50 mm Compression platens made of aluminium, 1 pair
TH36-100-AL	100x100 mm Compression platens made of aluminium, 1 pair
TH36-120-AL	120x120 mm Compression platens made of aluminium, 1 pair
TH36-120x180-AL	120x180 mm Compression platens made of aluminium, 1 pair
TH36-125x250-AL	125x250 mm Compression platens made of aluminium, 1 pair
TH36-150-AL	150x150 mm Compression platens made of aluminium, 1 pair
TH36-150x300-AL	150x300 mm Compression platens made of aluminium, 1 pair
TH36-200-AL	200x200 mm Compression platens made of aluminium, 1 pair
TH36-250-AL	250x250 mm Compression platens made of aluminium, 1 pair
TH36-300-AL	300x300 mm Compression platens made of aluminium, 1 pair
TH36-350-AL	350x350 mm Compression platens made of aluminium, 1 pair
TH36-400-AL	400x400 mm Compression platens made of aluminium, 1 pair
	Further dimensions and versions on request
TH36-ST	Steel plate, hardened steel, 58 HRC, phosphated Price includes: 1 compression plate
TH36-100-St	100x100 mm Compression plate, steel, 1 plate
TH36-196-St	196x196 mm Compression plate, steel, 1 plate
TH36-246-St	246x246 mm Compression plate, steel, 1 plate
TH36-296-St	296x296 mm Compression plate, steel, 1 plate
TH36-396-St	396x396 mm Compression plate, steel, 1 plate
	Further dimensions and versions on request
TH36L	Aluminium platens for foam material tests Price includes: 1 compression plate
TH36L-150-L6x20	150x150 mm Aluminum plate with 6 mm holes spaced 20 mm, 1 plate
TH36L-200-L6x20	200x200 mm Aluminum plate with 6 mm holes spaced 20 mm, 1 plate
TH36L-400-L6x20	400x400 mm Aluminum plate with 6 mm holes spaced 20 mm, 1 plate
	See also ISO3386-1, ISO2439, ASTM D3574, ASTM D5672
	Further dimensions and versions on request



AML Instruments Ltd
 Compression Platens Data Sheet
 Contact us for friendly professional advice Tel +44 (0) 1522 789375

www.grip.de/q01/TH36t/		
		www.grip.de/pdf/TH36t_Datasheet.pdf
	TH36T	T-groove platens
	TH36T-AL	T-groove platens, aluminium, anodized Price includes: 1 plate
	TH36T-250-AL	250x250 mm T-groove platens made of aluminium, 1 plate
	TH36T-220x400-AL	220x400 mm T-groove platens made of aluminium, 1 plate
	TH36T-380x400-AL	380x400 mm T-groove platens made of aluminium, 1 plate
	TH36T-ST	T-groove platens, steel, phosphated Price includes: 1 plate
	TH36T-250-St	250x250 mm T-groove platens made of steel, 1 plate
	TH36T-220x400-St	220x400 mm T-groove platens made of steel, 1 plate
	TH36T-380x400-St	380x400 mm T-groove platens made of steel, 1 plate
http://www.grip.de/q01/TH141/		
	TH141	Compression platens with guide bars
	TH141-400x400	400x400 mm Aluminum Compression platens with 800 mm guide bars
	THS86-7	380x380 mm Compression cage with ball bearings
		www.grip.de/pdf/THS223_Datasheet.pdf
	THS223k	Spherically seated compression platens, self-aligning and fixable Adapter Ø 12 - 25 mm (e.g. 158 mm (5/8"), 19.1 mm, 20 mm) Steel, 58HRC Price includes: 1 plate
	THS223k-56	Ø 56 mm Compression plate made of steel, 1 plate
	THS223k-96	Ø 96 mm Compression plate made of steel, 1 plate
	THS223k-116	Ø 116 mm Compression plate made of steel, 1 plate
	THS223k-156	Ø 156 mm Compression plate made of steel, 1 plate
	THS223k-Af159-TH36	Adapter to mount on TH36, Adapter 15.9/8, 1x
	THS223g	Spherically seated compression platens, self-aligning and fixable Adapter Ø 30-40 mm (e.g. 30 mm, 31.8 mm, 36 mm, 40 mm) Steel, 58HRC; Price includes: 1 plate
	THS223g-156	Ø 156 mm Compression plate made of steel, 1 plate
	THS223g-196	Ø 196 mm Compression plate made of steel, 1 plate
	THS223g-P196x196	196x196 mm Rectangular Self-aligning Compression plate with a moveable adapter, 1 plate
	THS223w-196	Ø 196 mm Compression plate, steel hardened 58 HRC tensile force: 250 kN, adapters from 50 to 60 mm, 1 plate
	THS223w-246	Ø 246 mm Compression plate, steel hardened 58 HRC tensile force: 250 kN, adapters from 50 to 60 mm, 1 plate
THS223w-Af xx-TH36 xx	Rectangular Compression plate xx with a moveable adapter xx	